

Introduction: What Is Quantum Computing?

Assem Hijazi – Experience, Knowledge & Ideas

Quantum computing is a completely new way of processing information that’s fundamentally different from the computers we use today. To understand it, let’s first think about how a normal computer works.

In classical computers, the smallest unit of data is a **bit**, which can be either **0 or 1**. Think of a bit as a light switch that’s either **on** (1) or **off** (0). Everything your computer does—whether it’s running a program, processing data, or even displaying images—is built from combinations of these bits. Computers work by processing these bits in a series of operations.

Now, **quantum computers** take things a step further. Instead of using bits, they use **qubits**. A **qubit** is special because it can be **0 and 1 at the same time**. This is possible thanks to a principle in quantum mechanics called **superposition**. Imagine a light switch that can be both **on and off** at once—this allows quantum computers to process much more information simultaneously.

Here’s the key difference:

- In **classical computers**, bits can only be either **0 or 1** at any given time (one or the other).
- In **quantum computers**, qubits can be both **0 and 1 at the same time**.

This difference comes down to how **classical bits** use "or" logic (0 or 1), while **qubits** use "and" logic (0 and 1 simultaneously). In classical computing, you have to choose between **0 or 1**, but in quantum computing, a qubit can represent both **0 and 1** at once. This ability to handle multiple possibilities at the same time is what makes quantum computers so powerful.

A simple table to visually compare classical bits and quantum qubits, reinforcing the key concepts from the introduction:

Feature	Classical Bits	Quantum Qubits
Possible States	0 or 1	0 and 1 (superposition)
Number of States	One state at a time (0 or 1)	Multiple states at the same time (0 and 1)
Logic	OR (exclusive choice)	AND (both possibilities simultaneously)
Processing	Sequential (one operation at a time)	Parallel (multiple possibilities at once)

Example Representation	0 or 1 (e.g., 0 or 1)	0 and 1 (e.g., both 0 and 1)
-------------------------------	------------------------------	-------------------------------------

Classical vs. Quantum: Extracting Values

In classical computing, if you have a set of 256 possible values (for example, from **8 bits**), the system can only extract **one value at a time** from this table of values. Think of it like looking at a table of possible outcomes and choosing just one row at any given moment.

In **quantum computing**, however, due to **superposition**, the system can access **all the possible values at once**. So, instead of just selecting one row from the table, quantum computing gives you **all the rows simultaneously**.

Table of Values:

Let’s imagine you have 256 different combinations of 0s and 1s for 8 bits (which is 256 values). Here’s what happens in classical vs. quantum computing:

Scenario	Classical Computing	Quantum Computing
Number of Bits (or Qubits)	8 bits	8 qubits
Total Possible Combinations	$2^8=256$	$2^8=256$
Extracted Values	1 value at a time	All 256 values at the same time
Speed of Extraction	Extracts one value per operation	Extracts all values simultaneously

Example:

If you have a table of 256 values, in classical computing, it’s like:

- In **1 second**, you can extract **one row** from the table (one combination of 0s and 1s).

In **quantum computing**, it’s like:

- In the **same 1 second**, you get **all 256 rows** of the table at once.

This is the power of quantum computing: it handles **multiple possibilities simultaneously**, while classical computing processes only **one possibility at a time**.

Exponential Power: The Astonishing Speed of Quantum Computing

One of the most astonishing capabilities of quantum computing is how it handles larger numbers of qubits. In classical computing, more bits mean more possible combinations, but the system can only process one combination at a time.

For example, with 10 bits, there are 1024 possible values, and the classical computer handles each value one by one. In contrast, quantum computers can process all possible combinations at once. With 10 qubits, a quantum computer can represent all 1024 values **simultaneously**.

This means that as you increase the number of qubits, the quantum system becomes exponentially more powerful, processing vast amounts of information in parallel—a truly revolutionary leap compared to classical computing.

Quantum Speed example: Accessing Large Databases with Ease

One of the real-world advantages of quantum computing is its ability to handle huge amounts of data efficiently. Imagine trying to access a **database with one million records**. In classical computing, this would involve a sequential search, which processes records **one at a time**. Even with advanced search algorithms, this process can be time-consuming.

Here's how quantum computing changes the game:

- **Classical Approach:** Searching through a million records would typically require a linear search, where each record is checked one by one. Even with optimization, it can still take significant time.
- **Quantum Approach:** Using a quantum algorithm like **Grover's algorithm**, quantum computers can search through large datasets **much faster**. Instead of processing each record individually, the quantum system reduces the time complexity, allowing it to find the correct record in just **thousands** of steps rather than one million.
- **Simultaneous Processing:** Although quantum computing doesn't literally check all records at once, it uses **parallelism** to process multiple possibilities, dramatically speeding up the search compared to classical methods.

With this approach, quantum computers can handle massive datasets, offering the potential to revolutionize industries that rely on fast, large-scale data processing.